

### PRODUCT INFORMATION SHEET

# Truck Wash

#### PRODUCT INFORMATION:

Truck Wash is an alkaline detergent designed for the rapid & effective removal of traffic film & other ingrained soiling from paintwork, glass & plastics to leave a grease & streak free gleaming surface. Ideal for use on heavily soiled exteriors such as curtain siders etc. For use through pressure washers & roll over system washes

_						_
Δ	Ŋ١	ΙΔ	.NI	ΓΔ(	GF.	ς.

HIGH FOAM STABILITY: Truck Wash is formulated to produce medium /high foam when used

at the appropriate dilution's. This ensures long contact times to

promote soil removal.

HIGH CLEANING POWER: Truck Wash contains a powerful blend of alkalis, surfactants,

sequestrants and emulsifiers, which remove grease, dirt and traffic

film with ease

SUITABLE IN HARD OR Truck Wash contains a sequestrant, which inhibits scale formulation

&

SOFT WATER: optimises detergency even in very hard water areas.

VERSATILITY OF USE: Truck Wash can be used in all pressure washer or brush wash

systems. It is also suitable for manual cleaning when desired. As it has excellent cleaning and degreasing properties it may also be used as a hard surface cleaner on garage forecourts and buildings.

BIODEGRADABLE: Fully biodegradable.

SOLUBILITY: 100% soluble in water.

### **DIRECTIONS FOR USE:**

Use at the following concentrations: Light Soiling 1:70; Medium Soiling 1:35; Heavy Soiling 1:10 in foaming machines for normal usage. The same concentration applies for manual cleaning. Rinse well after use. Do not mix with other cleaning materials.

**HEALTH AND SAFETY:** See Safety Data Sheet.

#### **PACKAGING:**

All our plastic drums are high molecular weight; high-density polyethylene designed to bring the product to the customer in perfect conditions.

Size: 5Lt Drums, 20 Lt. Drums, 205 Lt. Barrel and 1,000 Lt. I.B.C.

#### **QUALITY ASSURANCE:**

This product is manufactured in Ireland to ISO 9002 quality standards & conforms to R.E.A.C.H & CLP regulations. Shelf life: Not less than 3 years.

### **Safety Data Sheet**

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Date of issue: 01.01.14 Replaces version of: 01.01.13

### **PRODUCT NAME: MTW 2**

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Truck Wash Product No. AC104 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent

1.3. Details of the supplier of the safety data sheet

Supplier Halfords JSI Itd

P.O. Box 10935

Dublin 11 Ireland

Tel: +353 (0)1 8569347 Mob: +353 (0)85 7043434

1.4. Emergency Contact: National Poisons Information Centre, Beaumont Hospital,

Beaumont Road, Dublin 9. Tel: +353(01)8092566

### **SECTION 2: HAZARDS IDENTIFICATION**

2.1. Classification of the substance or mixture

Classification: Regulation (EC) No 1272/2008 H314, H302

Human health: Causes severe skin burns and eye damage. Harmful if swallowed

Environment: This product is Readily Biodegradable and not expected to be hazardous

to the environment

2.2. Label elements

Detergent Labelling: Contains: < 5% anionic surfactants, < 5% non-ionic surfactants,

< 5% amphoteric surfactants, < 5% sodium hydroxide

Labelling



doctor/physician.



Hazard Statements	H314 H302	Causes severe skin burns and eye damage. Harmful if swallowed
Statements	H302	namiui ii Swaiioweu
Precautionary	P102	Keep out of the reach of children
Statements	P260	Do not breathe mist/spray
	P262	Do not get in eyes, on skin or on clothing
	P264	Wash hands thoroughly after handling
	P270	Do not eat, drink or smoke when using this product.
	P280	Wear protective gloves/clothing/eye & face protection
	P301	IF SWALLOWED: Rinse out mouth immediately with water.
	& 310	Immediately call a poison centre or doctor/physician.
	P302	IF ON SKIN: Remove contaminated clothing & rinse skin
		thoroughly with soap & water. Obtain medical attention if irritation persists
	P304	IF INHALED: Remove immediately from source to fresh air. Obtain medical attention if any discomfort continues.
	P305	IF IN EYES: Flush eyes with water, remove contact lenses if
	& 310	present & continue rinsing. Immediately call a poison centre or

#### 2.3. Other hazards N/A

Corresponding to Regulation (EC) No 1272/2008 (CLP) Page 2 of 8

Date of issue: 01.01.14 Replaces version of: 01.01.13

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

$\sim$	B 4: 1	
٠, ٠,	Mixtu	Iraa
. 7	11// II X I I	11 ->
O.Z.	IVIIAL	a1 00

SODIUM HYDROXIDE		1-3%
CAS-No.: 1310-73-2	EC No.: 215-185-5	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Skin Corr. 1A - H314	C;R35	

DISODIUM METASILICATE PENTAHYDRATI	1-3%	
CAS-No.: 10213-79-3	EC No.: 229-912-9.	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Metal Corr. 1 – H290	C;R34	
Skin Corr. 1B - H314	Xi;R37	
STOT SE 3 - H335		

TETRASODIUM ETHYLENE DIAMINE TETR	1-5%	
CAS-No.: 64-02-8	EC No.: 200-573-9	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Acute Tox. 4 - H302	Xn; R22	
Eye Dam. 1 - H318	Xi; R41	

ALKYLAMINE DICARBOXYLATE		1-3%
CAS-No.: 90170-43-7	EC No.: 290-476-8	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Eye Irrit. 2 - H319	Xi;R36	

COCOAMIDOPROPYL BETAINE		5-10%
CAS-No.: 61789-40-0	EC No.: 263-058-8	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Eye Dam. 1- H318	Xi: R41.	

A Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16

### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

Inhalation: Remove immediately from source to fresh air. Obtain medical attention if

any discomfort continues.

Skin Contact: Remove contaminated clothing & rinse skin thoroughly with soap & water.

Obtain medical attention if irritation persists.

Eye Contact: Flush eyes with water immediately. Obtain medical attention if irritation

persists.

Ingestion: DO NOT INDUCE VOMITING! Rinse out mouth immediately with water.

Immediately call a poison centre or doctor/physician

Protection of

first aider: Avoid contact with skin and eyes (see Section 8.)

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: Spray mists may cause respiratory tract irritation. Ingestion: May cause internal injury, pain and/or vomiting

Skin contact: Irritating to skin, may cause irritation, burning and redness.

Eye contact: Irritating to eyes. Risk of serious damage to eyes

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 3 of 8

Date of issue: 01.01.14 Replaces version of: 01.01.13

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

### **SECTION 5: FIRE FIGHTING MEASURES**

5.1 Suitable Extinguishing Media: Water, Foam.

5.2 Unsuitable: N/A

5.3 Specific Hazards: Does not present any particular risk in the

event of fire.

5.4 Special Equipment for

the protection of Fire Fighters: None.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal Precautions: Avoid contact with skin and eyes (see Section 8.)

6.2 Environmental Precautions: No special measures required 6.3 Methods for Cleaning up: Small Spills - Flush with water.

Large Spills - Contain and collect spillage and absorb

on to sand.

### **SECTION 7: HANDLING AND STORAGE**

7.1 Handling

Technical Measures: No special measures required.

Safe Handling Advice: Avoid contact with eyes and skin. Comply with instructions for

use.

7.2 Storage

Technical Measures: No special measures required. Storage Conditions: Store in a cool dry place.

Incompatible Products: Acids, Strong Oxidizing Agents.

Packaging: Plastic Drums.

Packaging Materials: Recommended: Plastic Materials, Polyethylene,

Polypropylene.

Not Suitable - Uncoated Metal Drums.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters:

Name	STD	•	tional re Limit Value reference mg/m3	Occupation Exposure I (8-hour reference) period) ppm	₋imit Value	Notes
SODIUM HYDROXIDE	OELV	_	_	-	2	
DISODIUM METASILICATE PENTAHYDRATE	OELV				2	

OELV = Occupational Exposure Limit Value

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 4 of 8

Date of issue: 01.01.14 Replaces version of: 01.01.13

### 8.2 Personal Protection Equipment:







Respiratory Protection: Provide adequate ventilation in areas of confined space.

Hand Protection: Use Chemical Resistant Gloves to EN Standard 374 Level

1. Letter Code K

Eye Protection: Use Chemical Goggles or Face Shield to EN Standard 166

Level 3 or higher

Skin Protection: Wear Plastic Apron EN Standard 13034 Type PB[6] & Face

Shield EN Standard 166 Level 3 or higher

8.3 Hygiene Measures: Handle in accordance with good industrial hygiene and

safety practices.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Physical State: Clear Liquid.

Colour: Red. Odour: Yes.

Solubility: 100% Soluble in Water.

Flashpoint: None.
Explosive Properties: None.
Density: 1.08kg/dm3

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity: There are no known reactivity hazards

associated with this product.

10.2. Chemical stability: Stable under normal temperature conditions

and recommended use.

10.3. Possibility of hazardous reactions: Hazardous Polymerisation N/A

10.4. Conditions to avoid: Avoid Extreme Temperatures. Avoid contact

with acids &/or oxidising agents.

<u>10.5. Incompatible materials</u>: Acids &/or oxidizing agents <u>10.6. Hazardous decomposition products</u>: None under normal conditions.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1. Information on toxicological effects:

Inhalation: Spray mists may cause respiratory tract irritation.

Ingestion: Harmful if swallowed. May cause internal injury if swallowed.

Skin contact: Causes burns to skin.

Eye contact: Risk of serious damage to eyes.

11.2. Toxicological information on ingredients:

SODIUM HYDROXIDE (CAS: 1310-73-2)

Acute toxicity:

Acute Toxicity (Dermal LD50)

1350 mg/kg Rabbit

IUCLID chemical data sheet.

### Corresponding to Regulation (EC) No 1272/2008 (CLP)

Replaces version of: 01.01.13

Page 5 of 8

DISODIUM METASILICATE PENTAHYDRATE (CAS: 10213-79-3)

Acute Toxicity (Oral LD50)

994 mg/kg Rat

Date of issue: 01.01.14

**REACH dossier information** 

Acute Toxicity (Dermal LD50)

> 3000 mg/kg Rat

**REACH** dossier information

Acute Toxicity (Inhalation LC50)

> 2.06 mg/l (vapours) Rat

**REACH** dossier information

### TETRASODIUM ETHYLENE DIAMINE TETRAACELATE CAS-No.: 64-02-8

Acute Toxicity (Oral LD50)

1000 - 2000 mg/kg (rat)

**REACH dossier information** 

**Acute Toxicity** 

No skin irritation (rabbit)

**OECD Test Guideline 404** 

Acute Toxicity

Eye irritation (rabbit)

**OECD Test Guideline 405** 

### SODIUM LAURYL ETHER SULPHATE (CAS: 68585-34-2)

Acute Toxicity (Oral LD50)

1600 mg/kg Rat

Miscellaneous information sources

### COCOAMIDOPROPYL BETAINE (CAS: 61789-40-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

4900 mg/kg Rat

IUCLID chemical data sheet.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Eco-toxicity** 

This product is Readily Biodegradable and not expected to be hazardous to the environment.

#### <u>12.1. Toxicity</u>

Ecological information on ingredients:

### SODIUM HYDROXIDE (CAS: 1310-73-2)

Acute Toxicity - Fish

LC50 96 hours 45.4 mg/l Onchorhynchus mykiss (Rainbow trout)

IUCLID chemical data sheet.

### **DISODIUM METASILICATE PENTAHYDRATE (CAS: 10213-79-3)**

Acute Toxicity - Fish

LC50 96 hours 210 mg/l Brachydanio rerio (Zebra Fish)

**REACH** dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 7.8 pH Daphnia magna

**REACH dossier information** 

Acute Toxicity - Aquatic Plants

EC50 72 hours 207 mg/l Desmodesmus subspicatus

**REACH** dossier information

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Date of issue: 01.01.14 Replaces version of: 01.01.13

### TETRASODIUM ETHYLENE DIAMINE TETRAACELATE CAS-No.: 64-02-8

AcuteToxicity - Fish:

LC50 96 hours > 500 mg/l Leuciscus idus (Golden orfe)

EC50 Static Test > 100 mg/l (Lepomis macrochirus)

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours >100mg/l Daphnia magna

EC50 24 hours 1033 mg/l Daphnia magna

Method: OECD 202 Acute Toxicity - Algae :

EC50 72 hours > 100 mg/l Desmodesmus subspicatus (green algae)

Method: OECD 201

### COCOAMIDOPROPYL BETAINE (CAS: 61789-40-0)

Acute Toxicity - Fish

LC50 96 hours 2 mg/l Brachydanio rerio (Zebra Fish)

IUCLID chemical data sheet.

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 10.5 mg/l Daphnia magna

IUCLID chemical data sheet.

Acute Toxicity - Aquatic Plants

EC50 96 hours 0.55 mg/l Scenedesmus subspicatus

IUCLID chemical data sheet.

### 12.2. Persistence and degradability

Degradability:

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

### DISODIUM METASILICATE PENTAHYDRATE (CAS: 10213-79-3)

Biodegradation

Scientifically unjustified.

REACH dossier information

### TETRASODIUM ETHYLENE DIAMINE TETRAACELATE CAS-No.: 64-02-8

Result: 5 % (activated sludge; 400 mg/l; Related to: Dissolved organic carbon

(DOC); Exposure Time: 28 d)(OECD 302 B)

Kinetic data: < 1 %; 3 h

The substance is readily biodegradable

### 12.3. Bioaccumulative potential

No data available on bioaccumulation.

Ecological information on ingredients

### 12.4. Mobility in soil

Mobility: The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

Not determined.

### 12.6. Other adverse effects

Not determined.

Page 6 of 8

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Date of issue: 01.01.14 Replaces version of: 01.01.13

### **SECTION 13: DISPOSAL CONSIDERATIONS**

General information: Waste to be treated as controlled waste. Disposal to licensed

waste disposal site in accordance with local Waste Disposal

Page 7 of 8

Authority

#### 13.1. Waste treatment methods

Dispose of waste in accordance with local regulations. Recover, reclaim or recycle, where possible.

### **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods:

REGULATIONS CLASS

RID/ADR: 8

ICAO/IATA-DGR: 8 UN 1719

GGVSee/IMDG-Code: 8

### 14.1. UN number

1710

### 14.2. UN proper shipping name

Caustic Alkali Liquids, NOS

### 14.3. Transport hazard class(es)

8

### 14.4. Packing Group

Ш

### 14.5. Environmental Hazards

Environmentally Hazardous Substance/Marine Pollutant: N/A

### 14.6. Special precautions for user

NA

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

### **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Statutory Instruments

Corresponding to Preparations Regulations S.I. No. 62 of 2004

### Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. 6 / 7

#### **Guidance Notes**

Workplace Exposure Limits EH40.

### **EU** Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Replaces version of: 01.01.13

Page 8 of 8

### **SECTION 16: OTHER INFORMATION**

**Revision Comments** 

Date of issue: 01.01.14

Re-issued according to Regulation (EU) No 453/2010.

Revision Date: 01.01.14

Revision No: 3

Replaces version of: 01.01.13

Risk Phrases In Full

R38 Irritating to skin

R41 Risk of serious damage to eyes

Hazard Statements In Full

H315 Causes skin irritation

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage

H302 Harmful if swallowed

The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should therefore not be construed as guaranteeing specific properties.